

~2017~

1. Hiro Sato, Atsuko Niimi, Takaaki Yasuhara, Tiara Bunga Mayang Permata, Yoshihiko Hagiwara, Mayu Isono, Endang Nuryadi, Ryota Sekine, Takahiro Oike, Sangeeta Kakoti, Yuya Yoshimoto, Kathryn D. Held, Yoshiyuki Suzuki, Koji Kono, Kiyoshi Miyagawa, Takashi Nakano and **Atsushi Shibata***

DNA double-strand break repair pathway regulates PD-L1 expression in cancer cells
Nature Communicaions, 8(1):1751, 2017

*Corresponding author

2. **Atsushi Shibata***.

Regulation of repair pathway choice at two-ended DNA double-strand breaks.
Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis, in press.

*Corresponding author

3. Nakako Izumi Nakajima, Atsuko Niimi, Mayu Isono, Takahiro Oike, Hiro Sato, Takashi Nakano, and **Atsushi Shibata***.

Inhibition of HDAC/Suv39/G9a pathway restores DNA damage-dependent major histocompatibility complex class I-related chains A and B expression in cancer cells.
Oncology Reports, 38: 693-702, 2017.

*Corresponding author

4. Mayu Isono, Atsuko Niimi, Takahiro Oike, Yoshihiko Hagiwara, Hiro Sato, Ryota Sekine, Yukari Yoshida, Shin-Ya Isobe, Chikashi Obuse, Ryotaro Nishi, Elena Petricci, Shinichiro Nakada, Takashi Nakano and **Atsushi Shibata***.

BRCA1 directs the repair pathway to homologous recombination by promoting 53BP1 dephosphorylation.

Cell Reports, 18(2):520-532. 2017.

*Corresponding author

5. Ronja Biehs, Monika Steinlage, Olivia Barton, Szilvia Juhasz, Julia Kunzel, Julian Spies, **Atsushi Shibata***, Penny Jeggo* and Markus Lobrich*.

DNA Double-Strand Break Resection Occurs during Non-homologous End Joining in

G1 but Is Distinct from Resection during Homologous Recombination.

Molecular Cell, S1097-2765(16)30854-1, 2017.

*Co-corresponding authors

6. Motohiro Yamauchi, **Atsushi Shibata**, Keiji Suzuki, Masatoshi Suzuki, Atsuko Niimi, Hisayoshi Kondo, Miwa Miura, Miyako Hirakawa, Keiko Tsujita, Shunichi Yamashita, Naoki Matsuda.

Regulation of pairing between broken DNA-containing chromatin regions by Ku80, DNA-PKcs, ATM, and 53BP1.

Scientific Reports, 7:41812, 2017.

7. Daijiro Kobayashi, Takahiro Oike, **Atsushi Shibata**, Atsuko Niimi, Yoshiki Kubota, Makoto Sakai, Napapat Amornwhichet, Yuya Yoshimoto, Yoshihiko Hagiwara, Yuka Kimura, Yuka Hirota, Hiro Sato, Mayu Isono, Yukari Yoshida, Takashi Kohno, Tatsuya Ohno and Takashi Nakano.

Mitotic catastrophe is a putative mechanism underlying the weak correlation between sensitivity to carbon and cisplatin.

Scientific Reports, 7:40588, 2017.

~2016~

8. Atsuko Niimi, Motohiro Yamauchi, Siripan Limsirichaikul, Ryota Sekine, Takahiro Oike, Hiro Sato, Keiji Suzuki, Kathryn D. Held, Takashi Nakano, and **Atsushi Shibata***.

Identification of DNA Double Strand Breaks at Chromosome Boundaries Along the Track of Particle Irradiation.

Genes, Chromosomes and Cancer, 55(8):650-60, 2016.

*Corresponding author

9. Takahiro Oike, Atsuko Niimi, Noriyuki Okonogi, Kazutoshi Murata, Akihiko Matsumura, Shin-Ei Noda, Daijiro Kobayashi, Mototaro Iwanaga, Keisuke Tsuchida, Tatsuaki Kanai, Tatsuya Ohno, **Atsushi Shibata*** & Takashi Nakano*.

Visualization of complex DNA double-strand breaks in a tumor treated with carbon ion radiotherapy.

Scientific Reports, 6:22275, 2016.

*Corresponding author

10. Laura A. Tookman, Ashley K. Browne, Claire M. Connell, Gemma Bridge, Carin K. Ingemarsdotter, Suzanne Dowson, **Atsushi Shibata**, Michelle Lockley, Sarah A. Martin, and Iain A. McNeish.
RAD51 and BRCA2 promote oncolytic adenovirus type 5 activity in ovarian cancer.
Molecular Cancer Research, 14(1):44-55, 2016.

~2015~

11. Meryem Alagoz, Yoko Katsuki, Hideaki Ogiwara, Tomoo Ogi, **Atsushi Shibata**, Andreas Kakarougkas, and Penny Jeggo.
SETDB1, HP1 and SUV39 promote repositioning of 53BP1 to extend resection during homologous recombination in G2 cells.
Nucleic Acids Research, 43(16):7931-44, 2015.

12. Naoyuki Okita and **Atsushi Shibata***.
Other Determinants of Sensitivity (Chapter 15).
PARP Inhibitors for Cancer Therapy, Cancer Drug Discovery and Development 83, 2015

*Corresponding author

13. Napapat Amornwichet, Takahiro Oike, **Atsushi Shibata**, Chaitanya S. Nirodi, Hideaki Ogiwara, Haruhiko Makino, Yuka Kimura, Yuka Hirota, Mayu Isono, Yukari Yoshida, Tatsuya Ohno, Takashi Kohno & Takashi Nakano.
The EGFR mutation status affects the relative biological effectiveness of carbon-ion beams in non-small cell lung carcinoma cells.
Scientific Reports, srep11305, 2015 Jun 11.

14. Mayu Isono, Yukari Yoshida, Akihisa Takahashi, Takahiro Oike, **Atsushi Shibata**, Yoshiki Kubota, Tatsuki Kanai, Tatsuya Ohno, and Takashi Nakano.
Carbon-ion beams effectively induce growth inhibition and apoptosis in human neural stem cells compared with glioblastoma A172 cells.
Journal of Radiation Research, 56(5):856-61, 2015.

15. Nakako Izumi Nakajima#, Yoshihiko Hagiwara#, Takahiro Oike, Ryuichi Okayasu, Takeshi Murakami, Takashi Nakano, and **Atsushi Shibata***.

Pre-exposure to ionizing radiation stimulates DNA double strand break end resection, promoting the use of homologous recombination repair.

PLOS ONE, 10(3):e0122582, 2015.

#Equal first author. *Corresponding author

~2014~

16. **Atsushi Shibata**, Penny Jeggo.

DNA double-strand break repair in a cellular context.

Clinical Oncology (R Coll Radiol), 26(5):243-9, 2014.

17. Napapat Amornwichee, Takahiro Oike, **Atsushi Shibata**, Hideaki Ogiwara, Naoto Tsuchiya, Motohiro Yamauchi, Yuka Saitoh, Ryota Sekine, Mayu Isono, Yukari Yoshida, Tatsuya Ohno, Takashi Kohno, Takashi Nakano.

Carbon-Ion Beam Irradiation Kills X-Ray-Resistant p53-Null Cancer Cells by Inducing Mitotic Catastrophe.

PLOS ONE, 9(12):e115121, 2014.

18. **Atsushi Shibata**, Davide Moiani, Andrew S. Arvai, Jefferson Perry, Shane M. Harding, Marie-Michelle Genois, Ranjan Maity, Sari van Rossum-Fikkert, Aryandi Kertokalio, Filippo Romoli, Amani Ismail, Ermal Ismailaj, Elena Petricci, Matthew J. Neale, Robert G. Bristow, Jean-Yves Masson, Claire Wyman, Penny A. Jeggo, John A. Tainer.

DNA Double Strand Break Repair Pathway Choice Is Directed by Distinct MRE11 Nuclease Activities.

Molecular Cell, 53 (1), 7-18, 2014. (引用回数 145 2017年現在)

~2013~

19. Nakako Izumi Nakajima, Holly Brunton, Ritsuko Watanabe, Amruta Shrikhande, Ryoichi Hirayama, Naruhiro Matsufuji, Akira Fujimori, Takeshi Murakami, Ryuichi Okayasu, Penny Jeggo and **Atsushi Shibata***.

Visualisation of gH2AX foci caused by heavy ion particle traversal: Distinction between core track versus non-track damage.

PLOS ONE, 14;8(8):e70107, 2013.

*corresponding author

20. Andreas Kakarougkas, Amani Ismail, Yoko Katsuki, Raimundo Freire, **Atsushi Shibata** and Penny Jeggo.

Co-operation of BRCA1 and POH1 relieves the barriers posed by 53BP1 and RAP80 to resection.

Nucleic Acids Research, 41(22):10298-311, 2013.

21. Andreas Kakarougkas, Amani Ismail, Karolin Klement, Aaron Goodarzi, Sandro Conrad, Raimundo Freire, **Atsushi Shibata**, Markus Löbrich and Penny Jeggo.

Opposing roles for 53BP1 during homologous recombination.

Nucleic Acids Research, 41(21), 9719-9731, 2013.

< 2012 年以前テニユアトラック就任前 >

~2011~

22. Holly Brunton, Aaron A. Goodarzi, Angela T. Noon, R. Scott Hansen, Penny A. Jeggo and **Atsushi Shibata***.

Analysis of human syndromes with disordered chromatin reveals the impact of heterochromatin on the efficacy of ATM-dependent G2/M checkpoint arrest.

Molecular and Cellular Biology, 31(19):4022-4035, 2011.

*corresponding author

23. Lisa Woodbine, Holly Brunton, Aaron A. Goodarzi, **Atsushi Shibata**, and Penny A. Jeggo.

Endogenously induced DNA double strand breaks arise in heterochromatic DNA regions and require ataxia telangiectasia mutated and Artemis for their repair.

Nucleic Acids Research, 39(16):6986-6997, 2011.

24. **Atsushi Shibata**, Sandro Conrad, Julie Birraux, Verena Geuting, Olivia Barton, Amani Ismail, Andreas Kakarougkas, Katheryn Meek, Gisela Taucher-Scholz, Markus Löbrich and Penny A Jeggo.

Factors determining DNA double-strand break repair pathway choice in G2 phase.

EMBO J, 30(6):1079-92, 2011. (引用回数 246 2017 年現在)

25. Claire M. Connell*, **Atsushi Shibata***, Laura A. Tookman, Kyra Archibald, Magdalena B. Flak, Katrina J. Pirlo, Michelle Lockley, Sally P. Wheatley, Iain A. McNeish.

Genomic DNA damage and ATR-Chk1 signalling determine oncolytic adenoviral efficacy in human ovarian cancer.

Journal of Clinical Investigation, 121(4):1283-97, 2011.

*These authors contributed equally to this work.

~2010~

26. Dana A. Löser*, **Atsushi Shibata***, Akiko K. Shibata, Lisa J. Woodbine, Penny A. Jeggo and Anthony J. Chalmer.

Sensitization to radiation and alkylating agents by inhibitors of poly(ADP-ribose) polymerase is enhanced in cells deficient in DNA double-strand break repair.

Molecular Cancer Therapeutics, 9 (6),1775-87, 2010.

*These authors contributed equally to this work. (引用回数 101 2017年現在)

27. **Atsushi Shibata**, Olivia Barton, Angela T. Noon, Kirsten Dahm, Dorothee Deckbar, Aaron A. Goodarzi, Markus Löbrich, and Penny A. Jeggo.

Role of ATM and the damage response mediator proteins 53BP1 and MDC1 in the maintenance of G2/M checkpoint arrest.

Molecular and Cellular Biology, 30 (13), 3371-3383, 2010. (引用回数 85 2017年現在)

28. Angela T. Noon, **Atsushi Shibata**, Nicole Rief, Markus Löbrich, Grant S. Stewart, Penny A. Jeggo and Aaron A. Goodarzi.

53BP1-dependent robust localized KAP-1 phosphorylation is essential for heterochromatic DNA double-strand break repair.

Nature Cell Biology, 12 (2), 177-184, 2010. (引用回数 242 2017年現在)

29. Markus Löbrich, **Atsushi Shibata**, Andrea Beucher, Anna Fisher, Michael Ensminger, Aaron A. Goodarzi, Olivia Barton and Penny A. Jeggo.

gH2AX foci analysis for monitoring DNA double-strand break repair – Strengths, limitations and optimization.

Cell Cycle, 9 (4), 662-669, 2010. (引用回数 387 2017年現在)

~2009~

30. Andrea Beucher, Julie Birraux, Leopoldine Tchouandong, Olivia Barton, **Atsushi Shibata**, Sandro Conrad, Aaron A Goodarzi, Andrea Krempler, Penny A Jeggo, and Markus Löbrich.

ATM and Artemis promote homologous recombination of radiation-induced DNA double-strand breaks in G2.

EMBO J, 28, 3413-3427, 2009. (引用回数 277 2017年現在)

31. Atsushi Shibata, Olivia Barton, Angela T. Noon, Dorothee Deckbar, Aaron A. Goodarzi, Markus Löbrich and Penny A. Jeggo.

The maintenance of ATM dependent G2/M checkpoint arrest following exposure to ionizing radiation.

Acta Med. Nagasaki, Vol. 53, 19-21, 2009

32. Atsushi Shibata, Daisuke Maeda, Hideki Ogino, Masahiro Tsustsumi, Takehiko Nohmi, Hitoshi Nakagama, Takashi Sugimura, Hirobumi Teraoka and Mitsuko Masutani.

Role of Parp-1 in suppressing spontaneous deletion mutation at non-repeat or short repeat of mononucleotide sequences in the mouse liver in the process of aging.

Mutation Research – Fundamental and Molecular Mechanisms of Mutagenesis, Vol. 664, 20-27, 2009.

~2006~

33. Ryo Sakasai, Keitaro Shinohe, Yosuke Ichijima, Naoyuki Okita, **Atsushi Shibata**, Kinji Asahina and Hirobumi Teraoka.

Differential involvement of phosphatidylinositol 3-kinase-related protein kinases in hyperphosphorylation of replication protein A2 in response to replication-mediated DNA double-strand breaks.

Genes to Cells, Vol. 11, 237-246, 2006.

34. Hideki Ogino, **Atsushi Shibata**, Akemi Gunji, Hiroshi Suzuki, Hitoshi Nakagama, Takashi Sugimura, Mitsuko Masutani.

Agent-dependent effects of Parp-1 deficiency on DNA damage responses and genomic stability in mouse ES cells. In: Grier EV (ed), *New Developments in Stem Cell Research*, Hauppauge, New York, USA.

Nova Science Publishers, Inc, pp 133-147, 2006.

~2005~

35. Atsushi Shibata, Nobuo Kamada, Ken-ichi Masumura, Takehiko Nohmi, Shizuko Kobayashi, Hirobumi Teraoka, Hitoshi Nakagama, Takashi Sugimura, Hiroshi

Suzuki and Mitsuko Masutani.

Parp-1 deficiency causes an increase of deletion mutations and insertions/rearrangements in vivo after treatment with an alkylating agent.

Oncogene, 24, 1328-1337, 2005.

~2004~

36. Atsushi Shibata, Mitsuko Masutani, Nobuo Kamada, Ken-ichi Masumura, Hitoshi Nakagama, Shizuko Kobayashi, Hirobumi Teraoka, Hiroshi Suzuki and Takehiko Nohmi.

Efficient method for mapping and characterizing structures of deletion mutations in gpt delta mice using Southern blot analysis with oligo DNA probes.

Environmental and Molecular Mutagenesis, 43, 204-207, 2004.

~2003~

37. Atsushi Shibata, Mitsuko Masutani, Tadashige Nozaki, Nobuo Kamada, Hisako Fujihara, Ken-ichi Masumura, Hitoshi Nakagama, Takashi Sugimura, Shizuko Kobayashi, Hiroshi Suzuki and Takehiko Nohmi.

Improvement of the Spi⁻ assay for mutations in gpt delta mice by including magnesium ions during plaque formation.

Environmental and Molecular Mutagenesis, 41, 370-372, 2003.

~2002~

38. Mitsuko Masutani, Takushi Shimokawa, Masayuki Igarashi, Masa Hamada, **Atsushi Shibata**, Sachiko Oami, Tadashige Nozaki, Hitoshi Nakagama, Takashi Sugimura, Tomio Takeuchi, Makoto Hori.

Inhibition of poly(ADP-ribose) glycohydrolase activity by cyclic peptide antibiotics containing piperazic acid residues.

Proceedings of the Japan Academy, Vol. 78, Ser. B, No. 1, 2002.